







**Rain Therapy**

COMPLETE SHOWER KITS

	REF#	DESCRIPTION	FINISH	LIST
	PS NO-AM 010 M	1/2" PRESSURE BAL VALVE WITH 10" - 24CM ROUND SHW HEAD <b>SHOWER ARM OPTIONS:</b> 13-3/4" WALL OR 12" CEILING MOUNTED ARM	POL. CHROME	\$ 987
	PS NO-AM 410 M	1/2" PRESSURE BAL VALVE WITH 10" - 24 CM SQUARE SHW HEAD <b>SHOWER ARM OPTIONS:</b> 13-3/4" WALL OR 12" CEILING MOUNTED ARM	POL. CHROME	\$ 1,196
	PS NO-AM 020 M	1/2" PRESSURE BAL VALVE <b>WITH DIVERTER</b> / 12" ROUND SHOWER HEAD <b>SHOWER ARM OPTIONS:</b> 13-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" ROUND HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" RD ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 1,524
	PS NO-AM 420 M	1/2" PRESSURE BAL VALVE <b>WITH DIVERTER</b> / 12" SQUARE SHOWER HEAD <b>SHOWER ARM OPTIONS:</b> 13-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" SQUARE HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" SQ. ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 1,711
	PS NO-AM 020 NV	12" ROUND SHOWER HEAD <b>SHOWER ARM OPTIONS:</b> 13-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" ROUND HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" RD ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 1,062
	PS NO-AM 420 NV	12" SQUARE SHOWER HEAD <b>SHOWER ARM OPTIONS:</b> 13-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" SQUARE HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" SQ ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 1,234
	PS NO-AM 030 M	1/2" PRESSURE BAL VALVE WITH <b>DIVERTER 2 WAY</b> 15-3/4"- 40 CM ROUND SHOWER HEAD / 4 BODY JETS FLUSH MOUNT <b>SHOWER ARM OPTIONS:</b> 15-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" ROUND HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" RD ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 2,375
	PS NO-AM 430 M	1/2" PRES BAL VALVE W. <b>DIVERTER 2 WAY</b> 15-3/4"- 40 CM SQUARE SHOWER HEAD / 4 BODY JETS FLUSH MOUNT <b>SHOWER ARM OPTIONS:</b> 15-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" SQUARE HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" SQ. ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 2,494
	PS NO-AM 030 NV	15-3/4"- 40 CM ROUND SHOWER HEAD / 4 BODY JETS FLUSH MOUNT <b>SHOWER ARM OPTIONS:</b> 15-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" ROUND HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" RD ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 1,972
	PS NO-AM 430 NV	15-3/4"- 40 CM SQUARE SHOWER HEAD / 4 BODY JETS FLUSH MOUNT <b>SHOWER ARM OPTIONS:</b> 15-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" SQUARE HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" SQ. ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 2,062
	PS NO-AM 040 NV	15-3/4"- 40 CM ROUND SHOWER HEAD / 6 BODY JETS FLUSH MOUNT <b>SHOWER ARM OPTIONS:</b> 15-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" ROUND HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" RD ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 2,248
	PS NO-AM 440 NV	15-3/4"- 40 CM SQUARE SHOWER HEAD / 6 BODY JETS FLUSH MOUNT <b>SHOWER ARM OPTIONS:</b> 15-3/4" WALL OR 12" CEILING MOUNTED ARM ABS 1" SQUARE HAND SHOWER / SOLID BRASS WATER OUTLET WITH HD SHOWER CRADDLE ON 2-3/8" SQ. ROSETTE / 60" SILVER PVC FLEX HOSE	POL. CHROME	\$ 2,339

TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT [www.pscbath.com](http://www.pscbath.com)

PRICES ARE F.O.B. MIAMI, FL. CRATING, PACKING & SHIPPING ARE ADDITIONAL CHARGES.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FOR BRUSHED STAINLESS STEEL FINISH OPTION, PLEASE CALL FOR PRICING.



**Rain Therapy**

SHOWER HEADS WITH ARM

	REF#	DESCRIPTION	FINISH	LIST
	<b>ROUND</b>			
	PS RD-75S009	8"- 20CM DIAM. SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 234
	PS RD-75S010	10"- 25CM DIAM. SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 314
	PS RD-75S011	12"- 30CM DIAM. SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 345
	PS RD-75S012	16"- 40CM DIAM. SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 637
	<b>SQUARE</b>			
	PS SQ-75S014	8" - 20CM SQUARE SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 238
	PS SQ-75S015	10"- 25CM SQUARE SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 323
	PS SQ-75S016	12" - 30CM SQUARE SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 394
	PS SQ-75S017	16"- 40CM SQUARE SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 677
	PS RE-75S018	10 X 13-3/4"- 25 X 35 CM RECT. SHOWER HEAD FOR WALL/ CEILING ARM	POL ST STEEL	\$ 479
	PS AL-E021057	20" WALL SHOWER ARM W. REINFORCED FIXING - 1/2 MALE BOTH ENDS 1-1/4" DIAMETER ARM, 4" DIAMETER ROSETTE	POL. CHROME	\$ 414
	PS AL-E021006	13-3/4" WALL SHOWER ARM W. 90D. ELBOW - 1/2 MALE BOTH ENDS 3/4" DIAMETER ARM, 2-3/8" DIAMETER ROSETTE	POL. CHROME	\$ 148
	PS AL-E021060	13-3/4" WALL SHOWER ARM W. STRAIGHT END - 1/2 MALE BOTH ENDS 1" DIAMETER ARM, 2-3/8" DIAMETER ROSETTE	POL. CHROME	\$ 187
	PS AL-E021084	13-3/4" WALL SHOWER ARM W. STRAIGHT END - 1/2 MALE BOTH ENDS 1" SQUARE ARM, 2-3/8" SQUARE ROSETTE	POL. CHROME	\$ 247
	PS RI-QOBA6068	13-3/4" WALL SHOWER ARM- 1/2 MALE BOTH ENDS 3/4" DIAMETER ARM, 2-1/8" DIAMETER ROSETTE	POL. CHROME	\$ 151
	PS AL-E021017	4" CEILING SHOWER ARM- 1/2 MALE BOTH ENDS 3/4" DIAMETER ARM, 2-3/8" DIAMETER ROSETTE	POL. CHROME	\$ 99
	PS AL-E021018	8" CEILING SHOWER ARM- 1/2 MALE BOTH ENDS 3/4" DIAMETER ARM, 2-3/8" DIAMETER ROSETTE	POL. CHROME	\$ 118
	PS AL-E021019	12" CEILING SHOWER ARM- 1/2 MALE BOTH ENDS 3/4" DIAMETER ARM, 2-3/8" DIAMETER ROSETTE	POL. CHROME	\$ 138
	PS AL-E021078	6" CEILING SHOWER ARM- 1/2 MALE BOTH ENDS 1" SQUARE ARM, 2-3/8" SQUARE ROSETTE	POL. CHROME	\$ 168
	PS AL-E021023	12" CEILING SHOWER ARM- 1/2 MALE BOTH ENDS 1" SQUARE ARM, 2-3/8" SQUARE ROSETTE	POL. CHROME	\$ 187

TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT [www.pscbath.com](http://www.pscbath.com)

PRICES ARE F.O.B. MIAMI, FL. CRATING, PACKING & SHIPPING ARE ADDITIONAL CHARGES.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FOR BRUSHED STAINLESS STEEL FINISH OPTION, PLEASE CALL FOR PRICING.



	REF#	DESCRIPTION	FINISH	LIST
		<p><b>COMBO WALL OUTLET/ HAND SHOWER CRADLE WITH PVC HOSE</b></p> <p>PS AP-KI091-001 COMBO ANGLE VALVE - HAND SHOWER HOLDER W. 5FT SHOWER HOSE 1" ROUND HAND SHOWER, 8" LONG - SOLID BRASS CONSTRUCTION 2-3/8" ROUND ROSETTE, 2-3/4" PROJECTION. SOLID BRASS CONSTRUCTION</p> <p>PS AP-KI092-001 COMBO ANGLE VALVE - HAND SHOWER HOLDER W. 5FT SHOWER HOSE 1" SQUARE HAND SHOWER, 8" LONG - SOLID BRASS CONSTRUCTION 2-3/8" ROUND ROSETTE, 2-3/4" PROJECTION. SOLID BRASS CONSTRUCTION</p>	POL. CHROME	\$ 375 \$ 436
		<p><b>SLIDING BAR W. HAND SHOWER, PVC HOSE &amp; WALL ANGLE VALVE</b></p> <p>PS AP-KI 093-001 28" SLIDING BAR WTH 1" DIAM HAND SHOWER 60" PVC FLEX HOSE AND 2-3/8" ROUND WALL OUTLET 5/8" DIAMETER SLIDING BAR - 2-1/2" PROJECTION W. 2-3/8" ROUND TRIM PLATE TOP &amp; BOTTOM. SLIDING BAR 26" CTR-CTR SOLID BRASS CONSTRUCTION FOR ALL PARTS EXCEPT HOSE.</p> <p>PS AP-KI 032-001 28" SLIDING BAR WTH 1" SQUARE HAND SHOWER 60" PVC FLEX HOSE AND 2-3/8" SQUARE WALL OUTLET 5/8" SQUARE SLIDING BAR - 2-1/2" PROJECTION W. 2-3/8" SQUARE TRIM PLATE TOP &amp; BOTTOM. SLIDING BAR 26" CTR-CTR SOLID BRASS CONSTRUCTION FOR ALL PARTS EXCEPT HOSE.</p>	POL. CHROME	\$ 451 \$ 616
		<p>PS AP-KI 065-001 26" SLIDING BAR - 4" DIAMETER HAND SHOWER W. 5 JETS OPTION 60" PVC FLEX HOSE AND 2-3/8" DIAMETER WALL OUTLET 7/8" DIAMETER SLIDING BAR - 2-3/4" PROJECTION W. 7/8" X 2-1/4" RECT TRIM PLATE TOP &amp; BOTTOM. SLIDING BAR 24" CTR-CTR SOLID BRASS FOR SLIDING BAR AND WALL ANGLE VALVE.</p>	POL. CHROME	\$ 351
		<p>PS AP-KI 075-001 36" SLIDING BAR - 5" DIAMETER HAND SHOWER W. 1 SPRAY OPTION 60" PVC FLEX HOSE AND 2-3/8" DIAMETER WALL OUTLET 7/8" DIAMETER SLIDING BAR - 2-3/8" PROJECTION SLIDING BAR 32-7/8" CTR-CTR SOLID BRASS FOR SLIDING BAR AND WALL ANGLE VALVE.</p> <p>PS AP-AC 249-001 8" WIDE CASCADE WATER FALL BLADE - 9-3/8" WIDE 2-1/4" HIGH TRIM PLATE PROJECTION 5-1/2" - 1/2" WATER INLET ON THE SIDE</p> <p>PS AP-AC 250-001 8" WIDE CASCADE WATER FALL BLADE - 12" WIDE 5-3/4" HIGH TRIM PLATE 1/2" WATER INLET ON THE SIDE</p>	POL. CHROME	\$ 1,638 \$ 1,638

TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT [www.pscbath.com](http://www.pscbath.com)

PRICES ARE F.O.B. MIAMI, FL. CRATING, PACKING & SHIPPING ARE ADDITIONAL CHARGES.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FOR BRUSHED STAINLESS STEEL FINISH OPTION, PLEASE CALL FOR PRICING.



	REF#	DESCRIPTION	FINISH	LIST	
	PS NO-BJ021-001	3" ROUND BUILT-IN LATERAL BODY JETS - MIST SPRAY 1/2" M. INLET - TOTAL DEPTH 7/8" - PROJ. FM FINISH WALL 5/16" - FLOW 3.5 GPM-13.3 LPM AT 60 PSI	POL. CHROME	\$ 177	
	PS NO-BJ421-001	3" SQUARE BUILT-IN LATERAL BODY JETS - MIST SPRAY 1/2" M. INLET - TOTAL DEPTH 7/8" - PROJ. FM FINISH WALL 5/16" - FLOW 3.5 GPM-13.3 LPM AT 60 PSI	POL. CHROME	\$ 187	
	PS NO-BJ011-001	3" ROUND BUILT-IN LATERAL BODY JETS - RAIN FALL 1/2" M. INLET - TOTAL DEPTH 7/8" - PROJ. FM FINISH WALL 5/16" - FLOW 3.5 GPM-13.3 LPM AT 60 PSI	POL. CHROME	\$ 177	
	PS NO-BJ411-001	3" SQUARE BUILT-IN LATERAL BODY JETS - RAIN FALL 1/2" M. INLET - TOTAL DEPTH 7/8" - PROJ. FM FINISH WALL 5/16" - FLOW 3.5 GPM-13.3 LPM AT 60 PSI	POL. CHROME	\$ 187	
	PS NO-BJ012-001	1-3/8" ROUND LATERAL ADJUSTABLE BODY JETS - RAIN FALL 1/2" F. INLET - OD 2-3/8" - PROJECTION FM FINISH WALL 2-3/8" - FLOW 3.5 GPM-13.3 LPM AT 60 PSI	POL. CHROME	\$ 128	
	PS NO-BJ412-001	1-3/8" SQUARE LATERAL ADJUSTABLE BODY JETS - RAIN FALL 1/2" F. INLET - 1-7/8" SQ. - PROJECTION FM FINISH WALL 2-3/8" - FLOW 3.5 GPM-13.3 LPM AT 60 PSI	POL. CHROME	\$ 165	
TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>					
	<b>10", 12" AND 16" ROUND SHOWER HEAD</b>				
	PS NO-KSDU450	12" & 16" ROUND SHOWER HEADS - WALL SHOWER ARM 16" XL SAFETY ESCUTCHEON 1 INCH Ø - 1/2" CONNECTION - 115+137 IND. SILICON NOZZLES WEIGHT 11 Lbs / 4.85 Kg - FLOW 7.24 GPM-27.5 LPM AT 60 PSI, MIN. REQ. 5.26 GPM - 20 LPM	POL SST - 001 BLK-006 /WHI- 007 BK/ST-08 - WH/ST-09	\$ 1,352 \$ 1,561 \$ 1,531	
	PS NO-KSDU600	16" & 24" ROUND SHOWER HEADS - WALL SHOWER ARM 20" XXL SAFETY ESCUTCHEON 1 INCH Ø - 1/2" CONNECTION - 159+236 IND. SILICON NOZZLES WEIGHT 16 Lbs / 7.2Kg - FLOW 7.18 GPM-27.3 LPM AT 60 PSI, MIN. REQ. 5.26 GPM - 20 LPM	POL SST - 001 BLK-006 /WHI- 007 BK/ST-08 - WH/ST-09	\$ 1,703 \$ 1,860 \$ 1,897	
	PS NO-KSDU601	16" & 24" ROUND SHOWER HEADS - CEILING SHOWER ARM 12" 1 INCH Ø ESCUTCHEON - 1/2" CONNECTION - 159+236 IND. SILICON NOZZLES WEIGHT 16 Lbs / 7.2Kg - FLOW 7.18 GPM-27.3 LPM AT 60 PSI, MIN. REQ. 5.26 GPM - 20 LPM	POL SST - 001 BLK-006 /WHI- 007 BK/ST-08 - WH/ST-09	\$ 1,562 \$ 1,689 \$ 1,726	
	<b>10", 12" AND 16" SQUARE SHOWER HEAD</b>				
	PS NO-KSDU560	22" X 16-3/4" OVERALL DIMS SHOWER HEADS - WALL SHOWER ARM 16" XL SAFETY ESCUTCHEON 1 INCH Ø - 1/2" CONNECTION - 121+133 IND. SILICON NOZZLES WEIGHT 12.65 Lbs / 5.7 Kg - FLOW 6.71 GPM-25.5 LPM AT 60 PSI, MIN. REQ. 5.26 GPM - 20 LPM	POL SST - 001 BLK-006 /WHI- 007 BK/ST-08 - WH/ST-09	\$ 1,405 \$ 1,621 \$ 1,599	
	PS NO-KSDU750	30" X 22-1/4" OVERALL DIMS SHOWER HEADS - WALL SHOWER ARM 20" XXL SAFETY ESCUTCHEON 1 INCH Ø - 1/2" CONNECTION - 169+240 IND. SILICON NOZZLES WEIGHT 19.10 Lbs / 8.6 Kg - FLOW 7.16 GPM-27.2 LPM AT 60 PSI, MIN. REQ. 5.26 GPM - 20 LPM	POL SST - 001 BLK-006 /WHI- 007 BK/ST-08 - WH/ST-09	\$ 1,800 \$ 2,024 \$ 2,002	
	PS NO-KSDU561	22" X 16-3/4" OVERALL DIMS SHOWER HEADS - CEILING SQU SHW ARM 12" SQUARE ESCUTCHEON 7/8 INCH Ø - 1/2" CONNECTION - 121+133 IND. SILICON NOZZLES WEIGHT 12.65 Lbs / 5.7 Kg - FLOW 6.71 GPM-25.5 LPM AT 60 PSI, MIN. REQ. 5.26 GPM - 20 LPM	POL SST - 001 BLK-006 /WHI- 007 BK/ST-08 - WH/ST-09	\$ 1,360 \$ 1,569 \$ 1,546	
	PS NO-KSDU751	30" X 22-1/4" OVERALL DIMS SHOWER HEADS - CEILING SQU SHW ARM 12" SQUARE ESCUTCHEON 7/8 INCH Ø - 1/2" CONNECTION - 169+240 IND. SILICON NOZZLES WEIGHT 19.10 Lbs / 8.6 Kg - FLOW 7.16 GPM-27.2 LPM AT 60 PSI, MIN. REQ. 5.26 GPM - 20 LPM	POL SST - 001 BLK-006 /WHI- 007 BK/ST-08 - WH/ST-09	\$ 1,727 \$ 1,935 \$ 1,912	
	WHEN ORDERING DUAL FINISH, THE SHOWER ARM IS IN THE COLOR SELECTED				
	TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>				

PRICES ARE F.O.B. MIAMI, FL. CRATING, PACKING & SHIPPING ARE ADDITIONAL CHARGES.  
 PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
 FOR BRUSHED STAINLESS STEEL FINISH OPTION, PLEASE CALL FOR PRICING.



	REF#	DESCRIPTION	FINISH	LIST	
	PS RD-PD360	13-3/8" - 34CM DIAM. FLUSH MOUNT SHOWER HEAD	POL. CHROME	\$ 1,102	
	PS RD-PD361	17-3/8" - 44CM DIAM. FLUSH MOUNT SHOWER HEAD	POL. CHROME	\$ 1,363	
	PS SQ-PD362	13-3/8" SQUARE FLUSH MOUNT SHOWER HEAD	POL. CHROME	\$ 1,303	
	PS SQ-PD363	17-3/8" SQUARE FLUSH MOUNT SHOWER HEAD	POL. CHROME	\$ 1,689	
TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>					
	<b>ROUND</b>				
	PS RD-E044170	11" DIAM. FLUSH MOUNT SHOWER HEAD	POL ST STEEL	\$ 1,167	
	PS RD-E044048	15" DIAM. FLUSH MOUNT SHOWER HEAD	POL ST STEEL	\$ 1,604	
	PS RD-E044047	20" DIAM. FLUSH MOUNT SHOWER HEAD	POL ST STEEL	\$ 1,841	
	PS RD-E044219	15" DIAM. FLUSH MOUNT SHOWER HEAD: <b>2 PORTS / RAIN HEAD &amp; MIST JETS</b>	POL ST STEEL	\$ 1,544	
	<b>12" SQUARE</b>				
	PS SQ-E044171	12" SQUARE FLUSH MOUNT SHOWER HEAD	POL ST STEEL	\$ 1,185	
	PS SQ-E044218	12" SQ. FLUSH MOUNT SHOWER HEAD: <b>2 PORTS / RAIN HEAD &amp; MIST JETS</b>	POL ST STEEL	\$ 1,386	
	<b>15" SQUARE</b>				
	PS SQ-E044046	15" SQUARE FLUSH MOUNT SHOWER HEAD	POL ST STEEL	\$ 1,750	
	PS SQ-E044217	15" SQ. FLUSH MOUNT SHOWER HEAD: <b>2 PORTS / RAIN HEAD &amp; MIST JETS</b>	POL ST STEEL	\$ 1,765	
	PS SQ-E044216	15" SQ. FLUSH MOUNT SHOWER HEAD: <b>2 PORTS / RAIN &amp; WATER BLADE</b>	POL ST STEEL	\$ 1,779	
	<b>20" SQUARE</b>				
	PS SQ-E044024	20" SQUARE FLUSH MOUNT SHOWER HEAD	POL ST STEEL	\$ 2,284	
PS SQ-E044109	20" SQ. FLUSH MOUNT SHOWER HEAD: <b>2 PORTS / RAIN &amp; WATER BLADE</b>	POL ST STEEL	\$ 2,503		
<b>RECTANGULAR</b>					
PS RE-29450	15-3/4" X 20" RAIN & WATER BLADE FLUSH MOUNT SHOWER HEAD 1/2" CONNECTION - 100 INDIVIDUAL SILICON NOZZLES WEIGHT EMPTY 11.75 Lbs / 5.3 Kg - WITH WATER 13 Lbs / 5.9 Kg. 3.95 GPM AT 60 PSI FOR RAIN JETS OUTPUT, 9 GPM FOR WATERFALL JET. MINI. FLOW 3.16 GPM - 12L/Min	POL. ST. STEEL	\$ 1,758		
PS RE-E044110	15" X 28" / 38 X 70CM RECTANG. FLUSH MOUNT SHOWER HEAD <b>2 PORTS / 2 WATER BLADES &amp; RAIN HEAD</b>	POL ST STEEL	\$ 3,746		
PS RE-E044088	15" X 28" / 38 X 70CM RECTANG. FLUSH MOUNT SHOWER HEAD <b>2 CANOPY RAIN HEAD</b>	POL ST STEEL	\$ 3,600		
PS RE-E044059	20" X 36" / 50 X 90CM RECTANG. FLUSH MOUNT SHOWER HEAD <b>2 CANOPY RAIN HEAD</b>	POL ST STEEL	\$ 4,260		
PS RE-E044189	19" X 25" / 48 X 63CM RECTANG. FLUSH MOUNT SHOWER HEAD <b>3 PORTS / WATER BLADE, RAIN HEAD &amp; SWIVELS</b>	POL ST STEEL	\$ 3,891		
TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>					

PRICES ARE F.O.B. MIAMI, FL. CRATING, PACKING & SHIPPING ARE ADDITIONAL CHARGES.














PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FOR BRUSHED STAINLESS STEEL FINISH OPTION, PLEASE CALL FOR PRICING.



**Rain Therapy**

LED & CHROMATHERAPY SHOWER HEADS

	REF#	DESCRIPTION	FINISH	LIST
  	PS RD-PD028	12" CEILING MOUNT SHOWER HEAD WITH 7 COLOR LED LIGHT.  1/2" CONNECTION. SELF POWERED LED LIGHTS MIN. FLOW: 14L/Min - 3.7 Gal WITH 22 PSI MIN. MAXIMUM FLOW CAN BE REDUCED WITH FACTORY MOUNTED FLOW RESTRICTOR ?? INDIVIDUAL SILICON NOZZLES NO POWER SUPPLY REQUIRED. WATER FILTER HIGHLY RECOMMENDED REMOTE CONTOL FOR LIGHT COLOR CHANGE INCLUDED	POL. CHROME	\$ 3,442
	PS RD-PD028-006 PS RD-PD028-007	* WHEN ORDERING, PLEASE ADD COLOR SUFFIX # AT END OF REF #	MATTE BLACK MATTE WHITE	\$ 4,309
	TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>			
 	PS RD-PD029	12" CEILING SHOWER HEAD WITH CLEAR LED LIGHT  1/2" CONNECTION. SELF POWERED LED LIGHTS MIN. FLOW: 14L/Min - 3.7 Gal WITH 22 PSI MIN. MAXIMUM FLOW CAN BE REDUCED WITH FACTORY MOUNTED FLOW RESTRICTOR ?? INDIVIDUAL SILICON NOZZLES NO POWER SUPPLY REQUIRED. WATER FILTER HIGHLY RECOMMENDED	POL. CHROME	\$ 2,390
	PS RD-PD029-006 PS RD-PD029-007	* WHEN ORDERING, PLEASE ADD COLOR SUFFIX # AT END OF REF #	MATTE BLACK MATTE WHITE	\$ 3,247
	TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>			
  	PS RD-PD926-001	6" CLG ARM W. 2" DIAM. ROSETTE & FILTER / FOR SHOWER PS CR-PD028 & PS CR-PD029	POL. CHROME	\$ 290
		* WHEN ORDERING, PLEASE ADD COLOR SUFFIX # AT END OF REF #: BLK - 006 / WHI - 00:	MATTE BLK / WH	\$ 344
	PS RD-PD927-001	10" CLG ARM W. 2" DIAM. ROSETTE & FILTER / FOR SHOWER PS CR-PD028 & PS CR-PD029	POL. CHROME	\$ 328
		* WHEN ORDERING, PLEASE ADD COLOR SUFFIX # AT END OF REF #: BLK - 006 / WHI - 00:	MATTE BLK / WH	\$ 426
PS RD-PD929-001	14" CLG ARM W. 2" DIAM. ROSETTE & FILTER / FOR SHOWER PS CR-PD028 & PS CR-PD029	POL. CHROME	\$ 370	
	* WHEN ORDERING, PLEASE ADD COLOR SUFFIX # AT END OF REF #: BLK - 006 / WHI - 00:	MATTE BLK / WH	\$ 494	
  	PS SQ-PD368	13-3/8" SQ. CEILING SURFACE MOUNT SHOWER HEAD W. 7 COLOR LED LIGHT.  1/2" CONNECTION. SELF POWERED LED LIGHTS MIN. FLOW: 14L/Min - 3.7 Gal WITH 22 PSI MIN. MAXIMUM FLOW CAN BE REDUCED WITH FACTORY MOUNTED FLOW RESTRICTOR ?? INDIVIDUAL SILICON NOZZLES NO POWER SUPPLY REQUIRED. WATER FILTER HIGHLY RECOMMENDED REMOTE CONTOL FOR LIGHT COLOR CHANGE INCLUDED	POL. CHROME	\$ 3,737
	TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>			
	 	PS SQ-PD369	13-3/8" SQ. CEILING SURFACE MOUNT SHOWER HEAD W. CLEAR LED LIGHT.  1/2" CONNECTION. SELF POWERED LED LIGHTS MIN. FLOW: 14L/Min - 3.7 Gal WITH 22 PSI MIN. MAXIMUM FLOW CAN BE REDUCED WITH FACTORY MOUNTED FLOW RESTRICTOR ?? INDIVIDUAL SILICON NOZZLES NO POWER SUPPLY REQUIRED. WATER FILTER HIGHLY RECOMMENDED	POL. CHROME
TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>				

PRICES ARE F.O.B. MIAMI, FL. CRATING, PACKING & SHIPPING ARE ADDITIONAL CHARGES.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FOR BRUSHED STAINLESS STEEL FINISH OPTION, PLEASE CALL FOR PRICING.






	REF#	DESCRIPTION	FINISH	LIST
	PS RD-PD022	9-1/2" ROUND SHOWER HEAD WITH LED LIGHT BLUE OR WHITE  1/2" CONNECTION. SELF REGULATED FLOW: 15.04L/Min at 4 Bar - 3.95 Gal at 58 Psi. MAXIMUM FLOW CAN BE REDUCED WITH FACTORY MOUNTED FLOW RESTRICTOR WEIGHT EMPTY 4.1 KG / 9 LBS - WITH WATER ? KG / Pd. ?? INDIVIDUAL SILICON NOZZLES LOW VOLTAGE LED LIGHT DRIVER INCLUDED 120 V. OUTPUT 12 V DC - 1.67AMP LED LIGHT CONTROL INCLUDED  * WHEN ORDERING, PLEASE ADD COLOR REF # AT END OF ITEM #	POL. ST. STEEL	\$ 2,063
	PS RD-PD416	4" CEILING ARM WITH ROSETTE AND PIPE TO COVER LED WIRE. 8 & 12" ARM ALS  TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>	POL. CHROME	\$ 400
	PS RD-PD020	15-3/4" ROUND SHOWER HEAD WITH CHROMATHERAPY LED LIGHT OFFERING 16 DIFF. PROGRAMS  1/2" CONNECTION - MINI / MAX SHOWER ARM 4-1/2" TO 5-1/4" SELF REGULATED FLOW: 15.04L/Min at 4 Bar - 3.95 Gal at 58 Psi. MAXIMUM FLOW CAN BE REDUCED WITH FACTORY MOUNTED FLOW RESTRICTOR WEIGHT EMPTY 4.1 KG / 9 LBS - WITH WATER ? KG / Pd. ?? INDIVIDUAL SILICON NOZZLES LOW VOLTAGE LED LIGHT DRIVER INCLUDED 120 V. OUTPUT 12 V DC - 1.67AMP CHROMATHERAPY LED LIGHT CONTROL INCLUDED  VERTICAL SHOWER ARM AND LED WIRE COVER PIPE INCLUDED.  TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>	POL. CHROME	\$ 4,840
	PS SQ-PD026	10-5/8" SQUARE CEILING SHOWER HEAD WITH LED LIGHT BLUE OR WHITE  1/2" CONNECTION. SELF REGULATED FLOW: 15.04L/Min at 4 Bar - 3.95 Gal at 58 Psi. MAXIMUM FLOW CAN BE REDUCED WITH FACTORY MOUNTED FLOW RESTRICTOR ?? INDIVIDUAL SILICON NOZZLES LOW VOLTAGE LED LIGHT DRIVER INCLUDED 120 V. OUTPUT 12 V DC - 1.67AMP LED LIGHT CONTROL INCLUDED  * WHEN ORDERING, PLEASE ADD COLOR REF # AT END OF ITEM #	POL. ST. STEEL	\$ 2,778
	PS SQ-PD390	20" SQUARE CEILING SHOWER HEAD WITH CHROMATHERAPY LED LIGHT 16 DIFF. PROGRAMS. 3 JETS OPTIONS: RAIN HEAD/ WATER BLADE/ SPRAY  1/2" CONNECTION FOR EACH OUTPUT: RAIN HEAD/ BLADE/ SPRAY. MINIMUM FLOW: 15.04L/Min at 4 Bar - 3.95 Gal at 58 Psi. WATER BLADE FLOW: 17.5 L/Min-4.6 Gal/Min at 60 Psi. RAIN FLOW: 12.5 L/Min-3.3 Gal/Min at 60 Psi. SPRAY FLOW: 9.4 L/Min-2.5 Gal/Min at 60 Psi. MAXIMUM FLOW CAN BE REDUCED WITH FACTORY MOUNTED FLOW RESTRICTOR ?? INDIVIDUAL SILICON NOZZLES LOW VOLTAGE LED LIGHT DRIVER INCLUDED 120 V. OUTPUT 12 V DC - 1.67AMP LED LIGHT CONTROL INCLUDED  TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>	POL. CHROME	\$ 6,479

PRICES ARE F.O.B. MIAMI, FL. CRATING, PACKING & SHIPPING ARE ADDITIONAL CHARGES.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FOR BRUSHED STAINLESS STEEL FINISH OPTION, PLEASE CALL FOR PRICING.



PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
<p><b>SQUARE KNOBS</b> 2 CONTROLS</p> 	<b>AQUA SQUARE SERIE</b>				
	PS 3011-Q T /T/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	831 914 996 996	
	PS 3051-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	913 1,008 1,103 1,103	
	PS 30J1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	926 1,023 1,120 1,120	
	PS 30A1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	947 1,047 1,147 1,147	
	PS 30F1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	932 1,030 1,127 1,127	
	<p>3 CONTROLS</p> 	PS 3061-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER & 1 VOLUME CONTROL FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,108 1,228 1,348 1,348
		PS 3071-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 VOLUME CONTROLS TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,030 1,138 1,246 1,246
		PS 3081-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORTS: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,186 1,318 1,449 1,449
		<b>AQUA ROUND SERIE</b>			
<p><b>ROUND KNOBS</b> 2 CONTROLS</p> 	PS 3011-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	810 889 969 969	
	PS 3051-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	890 981 1,073 1,073	
	PS 30J1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	905 999 1,093 1,093	





PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.











PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST
 <p>3 CONTROLS</p> 	<b>AQUA ROUND SERIE Cont'd</b>			
	PS 30F1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	909 1,003 1,098 1,098
	PS 30A1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	926 1,052 1,149 1,149
	PS 3061-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER & 1 VOLUME CONTROL FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,076 1,190 1,305 1,305
	PS 3071-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 VOLUME CONTROLS TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	995 1,098 1,201 1,201
	PS 3081-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORTS: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,154 1,280 1,407 1,407
<p><b>ROUND KNOBS</b> 2 CONTROLS</p>  	<b>ONE ROUND SERIE</b>			
	PS 3011-T /H/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	798 876 954 954
	PS 3051-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	880 970 1,061 1,061
	PS 30J1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	897 990 1,083 1,083
	PS 30A1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	918 1,014 1,110 1,110
	PS 30F1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	901 995 \$1,088 \$1,088

TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT [www.pscbath.com](http://www.pscbath.com)



PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.  
PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.



PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST		
<p><b>1/2 THERMOSTATIC VALVE &amp; VOL CONTROL</b></p>   	PS J511Q - QR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / 1-3/8" SQUARE KNOB FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	737 801 865 865		
	PS J511T - HR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	737 801 865 865		
	PS J511T - JJC	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS ROUND TRIM PLATE: 6" DIAM. - 15 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	737 801 865 865		
	<p><b>1/2 THERMOSTATIC VALVE &amp; 2 WAY DIVERTER</b></p>   	PS J551Q - QR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / 1-3/8" SQUARE KNOB FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	794 \$866 \$939 \$939	
		PS J551T - JR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	794 866 939 939	
		PS J551T - JJC	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS ROUND TRIM PLATE: 6" DIAM. - 15 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	794 866 939 939	
		TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>				





PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.  
 PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
 CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.



PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
<p><b>CROSS HANDLE</b> 2 CONTROLS</p> 	<b>XS SERIE</b>				
	PS OM-3011XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	841 925 1,009 1,009	
	PS OM-3051XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	919 1,015 1,110 1,110	
	PS OM-30J1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	934 1,032 1,130 1,130	
	PS OM-30A1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	957 1,058 1,160 1,160	
	PS OM-30F1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	938 1,036 1,135 1,135	
	<p><b>3 CONTROLS</b></p> 	PS OM-3061XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE / 2 WAY DIVERTER & 1 VOL. CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,117 1,239 1,360 1,360
		TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>			

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.  
 PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
 CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.



PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
<b>NEW ENGLAND SERIE</b>					
<p><b>RECTANGULAR PLATE LEVER &amp; CROSS HANDLE</b></p> 	PS OM-30117/8/D	IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	789 865 942 942	
	PS OM-30517/8/D	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	867 955 1,043 1,043	
	<p><b>CROSS HANDLES</b></p> 	PS OM-30J17/7/D	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	871 960 1,048 1,048
		PS OM-30A17/7/D	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	894 986 1,078 1,078
PS OM-30F17/7/D		IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	875 964 1,053 1,053	
<p><b>OVALE PLATE LEVER &amp; CROSS HANDLE</b></p> 	PS OM-30117/8/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	793 870 947 947	
	PS OM-30517/8/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	871 960 1,048 1,048	
	<p><b>CROSS HANDLES</b></p> 	PS OM-30J17/7/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	877 966 1,056 1,056
		PS OM-30A17/7/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	898 990 1,083 1,083
		PS OM-30F17/7/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	881 971 1,061 1,061
		TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT <a href="http://www.pscbath.com">www.pscbath.com</a>			

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.  
 PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
 CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.